

G I P I E M M E - data 12-06-2012 wheel technical specifications: Scheda Tecnica Ruota modello: Made in Italy - Produzione Italiana				Modello Ruota / Wheel model ROCCIA DISC MTB 27,5" - old135 SH.			
				Rev,0-0-0			
Sizes	MISURE	Tyre	COPERTURA	1	Clincher	Copertoncino	
		Size	MISURA	2	27,5" - 650B mtb		
		Etrto	ETRTO	3	ETRTO 584- 17 DIN		
REAR Wheel RIGHT side	POSTERIORE LATO DX	Spokes No.	Q.TA' RAGGI	4	12		
		Spokes Lenght	LUNGH. RAGGI	5	L 260 (+/-1)		
		Spokes Crossing	TIPO INCROCIO	6	Cross x 2 (Inner/Outer overlapping)	Inc. x 2 (Inf./Est. a contatto)	
		Spokes Tension Kg.	TENSIONE IN KG.	7	125 ± 8%		
REAR Wheel LEFT side	POSTERIORE LATO SX	Spokes No.	Q.TA' RAGGI	8	12		
		Spokes Lenght	LUNGH. RAGGI	9	L 262 (+/-1)		
		Spokes Crossing	TIPO INCROCIO	10	Cross x 2 (Inner/Outer overlapping)	Inc. x 2 (Inf./Est. a contatto)	
		Spokes Tension Kg.	TENSIONE IN KG.	11	85 ± 8%		
FRONT Wheel - RIGHT side	ANTERIORE LATO DX	Spokes No.	Q.TA' RAGGI	12	12		
		Spokes Lenght	LUNGH. RAGGI	13	L 264 (+/-1)		
		Spokes Crossing	TIPO INCROCIO	14	Cross x 2 (Inner/Outer overlapping)	Inc. x 2 (Inf./Est. a contatto)	
		Spokes Tension Kg.	TENSIONE IN KG.	15	100 ± 8%		
FRONT Wheel - LEFT side	ANTERIORE LATO SX	Spokes No.	Q.TA' RAGGI	16	12		
		Spokes Lenght	LUNGH. RAGGI	17	L 260 (+/-1)		
		Spokes Crossing	TIPO INCROCIO	18	Cross x 2 (Inner/Outer overlapping)	Inc. x 2 (Inf./Est. a contatto)	
		Spokes Tension Kg.	TENSIONE IN KG.	19	100 ± 8%		
Spokes & Nipples Specifications	SPECIFICHE RAGGI NIPLES ALTRO	Brand and type	MARCA E TIPO		Sapim Leader		
		Spokes Material	MATERIALE RAGGI		Stainless steel Inox 18/8	Acciaio Inox 18/8	
		Spokes Type	TIPO RAGGI INOX	20	Ø 2 inox		
		Spokes Colour	COLORE RAGGI	21	BLACK		
		Nipples Type	TIPO NIPLES	22	ABS BRASS L15 T.E.		
		Nipples Material	MATERIALE-COLORE N	23	Brass -Ni Silver		
		Washer	PIASTRINA/ROSETTA	24	-		
		Nipples Stopper	FRENA FILETTI	25	NO (autolock Nipples)		
RIMS Specifications	SPECIFICHE CERCHIO	Rim Material	MATERIALE	26	AL 6005 T5		
		Rim Sizes	TIPO PROFILO	27	H 20 X 23/17		
		Rim Colour	COLORE CERCHIO	28	Anodized Black	Anodizzato Nero	
		Ø Valve Hole	Ø FORO VALVOLA	29	Ø 6,5 inner//outer	Ø 6,5 interno//esterno	
		Eyelets	BOCCOLE	31	yes	si	
		Decorafion	DECORAZIONI	32	Laser + Sticker	Laser + Etichette	
HUBS Specifications	SPECIFICHE MOZZO E CUSCINETTI	Front Hub	MOZZO ANT.	33	LIGHT DISC FC-H-1 (GPMCHDISC-A)		
		Rear Hub SH.	MOZZO POST. SH.	34	LIGHT DISC RC-H-1 (GPMCHDISC-P)		
				35			
		O.L.D. Front/Rear A	INTERASSE BATTUTA	36	100/135 mm.		
		Spokes Holes Front/r	FORI POST./ANT.	37	32/32 (std)		
		Hub Colour	COLORE MOZZO	38	BLACK	NERO	
		Front Hub Motion	CUSCINETTI 2RS ANT.	39	N.2 Ø 10 / 26 x 8		
Rear Hub Motion	CUSCINETTI 2RS POST	40	N. 2 Ø 15 / 28 x 7				
SHIMANO cassette body	CASSETTE SHIMANO- CUSCINETTI- GHIERE	Material	MATERIALE	41	Ergal anodized	Ergal anodizzato	
		Shimano	SHIMANO	42	8/9/10S 12/11 teeth	8/9/10S 12/11 denti	
		Cassette Motion	CUSCINETTI 2RS	43	N.2 Ø15/28X7		
		Cog - 12	GHIERA 12 DENTI	44	std Shimano		
		Cog - 11	GHIERA 11 DENTI	45	std Shimano		
		Thightness Torque in	SERRAGGIO GHIERA	46	35/45 Nm		
Quick Release	BLOCCAGGI	O.L.D.	INTERASSE CHIUSURA	56	100/135		
		Colour	COLORE	57	Black		
		Model	MODELLO	58	Light Mfb C		
		Weight	PESO	59	gr. 114		
WHEELS WEIGHT	PESO RUOTE	Front Wheel	RUOTA ANT. Gr.	60	870		
		Rear Wheel	RUOTA POST. GR.	61	1020		
		Wheel SET ± 5%	COPPIA RUOTE GR. ±	62	1890		
ASSEMBLYING TOLLERANCE FRONT &	TOLLERANZE RUOTE Anteriore &	Max Roundness	Salto Max	63	0,30 mm.		
		Max obbling	Sbandamento Max	64	0,30 mm.		
		Max Simmetry	Campanatura Max	65	0,50 mm.		

Note: